

Index to *Plant Biotechnology*
(unpublished, by Samantha Miller, Sciendex)

A

abscisic acid (ABA), 24, 42, 48, 87, 243
acetolactate synthase (ALS), 89, 106–108, 110, 123–125
acetylation, 15, 19
adenylation, 7
Aequorea victoria, 92
AgrEvo, 120, 139
agriculture. *See* cereals; crops
Agrobacterium, 93, 160, 162
 See also Agrobacterium-mediated gene transfer
Agrobacterium-mediated gene transfer, 55–65
 crown gall disease and, 55–56
 process overview, 59–62
 proteins involved in process, 61
 Ti plasmid, 56–63
 in tobacco, 63–65
 vectors used in, 63–64, 65
Agrobacterium rhizogenes, 67
agropines, 56
albumin, 251, 297, 298
alcohols, 85–86
alfalfa, 48–49, 300
allergens, 251–252
alternative splicing, 15–17, 21
amino acids, 9, 11, 113–114, 209, 251–252
aminoacyl-RNA-protein transferases, 20
aminosiloxanes, 68
ammonium ions, 38–39
amplification fragment length polymorphisms (AFLP), 159
Animal and Plant Health Inspection Service (APHIS), 320–322
anthers, 45–46
anthocyanin, 244–245
antibiotic resistance, 89, 309–310
antibodies
 costs associated with farming, 300–301
 custom made, 291–293
 against dental caries, 290–291
 molecular farming of, 286–298
 production systems, 279–280, 290
 structural characteristics of, 289
anticodons, 10
antimicrobial compounds, 163, 164–165, 174–175
antioxidants, 227–229
antiport, Na/H, 218
antisense, 194–195, 234–238, 239–240, 241, 274
antivirulence genes (*Avr*), 164–165, 166–168

apomixis, 313, 315–316
Arabidopsis Genome Sequencing Initiative, 28–31
Arabidopsis thaliana
 cold-responsive (COR) genes in, 219–220
 Genome Sequencing Initiative (AGI), 28–31
 heat shock proteins in, 220
 as model plant, 26–28
 production of bioplastics in, 276–277, 278, 279
Arabis mosaic *nepovirus* (ArMV), 190–192
arginine vasopressin, 298
ascorbic acid, 223, 226, 228
Asgrow Seeds, 198
A-site, 12
autodigestion, 287
auxins
 Agrobacterium-mediated gene transfer and, 56, 58
 in culture media, 40–41, 42
 gene expression and, 23, 87
 habituation and, 43
 organogenesis and, 50–51
Aventis, 121, 139
axillary buds, 50–51

B

Bacillus thuringiensis (*Bt*), 137–145
 Bollgard cotton and, 138, 141–142
 cry genes, 98, 132–147
 environmental impacts of use, 143–145
 history of, 132–133
 insecticidal crystal proteins (ICP), 134–136
 insect resistance to, 140–143
 in maize, 138–139
 Monarch butterflies and, 144
 pyramiding and, 140
 StarLink corn controversy and, 139
 toxin as biopesticide, 136–137
beets, 185–187, 270
benzylaminopurine (BAP), 41
betalains, 244–245
bialaphos, 88, 89–90, 120–121
binary vectors. *See* vectors
biodegradable plastics. *See* bioplastics
biolistics, 49, 67–72, 282
biopesticides. *See Bacillus thuringiensis* (*Bt*)
biopharmaceuticals, 294, 296, 297, 298
bioplastics, 275–279, 287
biopolymers, 275–279, 287
biotrophs, 159
bleomycin, 88, 89–90

Index to *Plant Biotechnology*
(unpublished, by Samantha Miller, Sciendex)

- Bollgard cotton, 138, 141–142
bollworms, 138, 141–142
bombardment, 49, 67–72, 282
border sequences, 58–59, 81
Borlaug, Norman, 246
Brazil nut albumin, 251
breeding, traditional, 158
bromoxynil resistance, 121–122
budworms, 132, 138, 141–142
butterflies, 143–144, 149
- C**
- C3 and C4 pathways, 256–257
CAAT boxes, 15
Calgene, 232–233, 237
callus, 42, 43–46, 50, 69–70
Calvin cycle, 256–257
capsids, 180, 184, 200–201
carbohydrates, 39, 263–270
carbon sources
 Agrobacterium-mediated gene transfer and, 56
 callus formation and, 43
 in cell culture media, 38–39, 49
 selectable markers and, 88, 89–90
carotenoids, 227, 243, 244–245, 247–251
cauliflower mosaic virus 35S promoter
 Bacillus thuringiensis (Bt) and, 137
 fructan synthesis and, 268
 fruit ripening and, 234
 in Golden Rice, 248
 herbicide resistance and, 117
 insect resistance and, 147
 structure of, 82–83
 tetracycline expression and, 85
cell culture media
 callus friability and, 44
 gelling agents in, 39–40
 growth regulators in, 40–42
 macroelements in, 37–38
 microelements in, 38–39
 for microspores, 45–46
 for tobacco organogenesis, 50
 use in rice transformation, 70–72
cell-suspension cultures, 43–46
cereals
 genome sequencing of, 30–31
 and kanamycin resistance, 89–90
 kanamycin resistance and, 88
 risks associated with modification, 251–252
 selectable markers used in, 65
 somatic embryogenesis of, 49–50
 transformation techniques for, 65, 66, 68, 74
 yield of, 246, 281
chalcone synthase genes, 195–198
chaperones, molecular, 221, 290
chemotaxis, 56
chimeric proteins, 140
chitinase proteins, 172, 173
chloramphenicol transferase (CAT), 92
chloroplasts
 engineering of, 324–325
 gene containment and, 313
 genomes of, 2–3
 localisation signals, 19
 nitrate reductase gene in, 22–23
 production of bioplastics in, 276–277
 protein targeting to, 117–118, 276–277
 role in biosynthesis, 106
 stress tolerance and, 212
 transformation of, 73–74
 use for protein production, 300–301
 See also photosynthesis
chlorosulphuron, 88, 89–90
choline monooxygenase (CMO), 212
chorismate, 113–114
chromatin, 4–5, 14
chromosomes, 4–5, 31, 46
cis-elements, 14–15, 22, 23, 24–25
citrus, 185
clean gene technologies, 97–99
cleistogamy, 313
closterovirus, 185
coat proteins, viral diseases and, 188–193
coat proteins, and viral diseases, 199–201
co-cultivation, 64
co-integrative vectors, 93
cold-responsive (COR) genes, 218, 219–220, 221–222, 274
cold treatment, for microspores, 46
colinearity, 31
colour modification, 241–245
commercial products
 AgrEvo, 120, 139
 antibodies, 291
 Asgrow Seeds, 198
 Bollgard cotton, 138, 141–142
 common traits in, 104
 containing *Bacillus thuringiensis* (Bt), 136–142
 Delta and Pine Land Company, 314–315
 disease resistant, 124, 170
 FlavrSavr tomatoes, 232–233, 237
 Florigene, 245
 Large Scale Biology Corp, 291–293

Index to *Plant Biotechnology*
(unpublished, by Samantha Miller, Sciendex)

LibertyLink crops, 121
Lightning herbicide, 123–125
Mycogen, 138
pharmaceuticals, 297
Pioneer Hi-bred International, 123–125
Planet Biotechnology, 300
Plant Genetic Systems, 120
ProdiGene, 285–287
StarLink corn, 139
Syngenta, 307
Terminator Technology and, 312–313,
314–315
virus-resistant, 198–199
Zeneca, 237
See also Monsanto
comoviruses, 182–183
compact callus, 43–44
compatible solutes, 209–215
concerns. *See* risks
constitutive promoters. *See* promoters
containment, 311–312, 313
copper inducible gene expression, 86
Copy Nature strategy, 145–153
copy number, 96
co-repression, 76, 195–198, 197–198, 325
corn. *See* maize
corn borers, 132, 138–140
costs. *See* economic considerations
co-suppression, 237
cotton, 132, 138, 141–142, 161, 306–307
cowpea mosaic *comovirus* (CPMV), 182–183,
293
cowpea trypsin inhibitor (CpTi), 146–149
Crick and Watson, 1
crops
 apomixis and, 315–316
 Bacillus thuringiensis (*Bt*) use in, 141–145
 current state of transgenic, 305–309
 fatty acid composition in, 272–275
 genome sequencing of, 32
 Green Revolution and, 246
 LibertyLink, 121
 losses from plant diseases, 157–158, 159
 pests and, 131–132
 regulation of, 316–320
 Roundup Ready, 116–117, 119, 127
 selectable markers in, 88, 89–90
 virus resistant, 198–199
 yields of, 207, 231–257, 281, 327
 See also cereals; herbicide resistance; pollen;
 risks
cross-protection, 185
crown gall disease, 56

cry genes. *See Bacillus thuringiensis* (*Bt*)
crytogein, 176
cucumbers, 173
cucumovirus, 185
culture conditions, 36, 43–46, 70–72
cyclodextrins, molecular farming and, 264–265,
266
cytokinins
 cell cultures and, 43
 frequently used, 41, 42
 gene transfer and, 56, 58
 organogenesis and, 50–51
 yield and, 256

D

dedifferentiation, 43
defences
 elicitor responses, 164–166
 inducible, 163–170
 natural mechanisms for, 162–163
 recognition-dependent, 166–168
 systemic acquired resistance (SAR), 170
 See also disease resistance
defensins, 163–166, 174
dehiscence, 46
Delta and Pine Land Company, 314–315
detoxification systems, 107, 121–122
dexamethasone, 86
DHFR gene, and methotrexate resistance, 115
2,3-dichlorophenoxyacetic acid (2,3-d), 40–41,
47–48, 49
di-haploids, 46
direct gene transfer, 66–76
disease, 161–162, 193–194
 See also defences; disease resistance
disease resistance
 antimicrobial compounds and, 174–175
 antivirulence genes (*Avr*) and, 166–168
 chitinase proteins and, 172, 173
 gene expression and, 170–177, 195–198
 hypersensitive response (HR), 175–176
 mechanisms for, 162–170
 non-GM approaches to, 158–159
 pathogens and, 159–161, 179, 179–201
 propagation of, 185
 recognition-dependent, 167–170
 risks of, 170–177
 systemic acquired (SAR), 170, 171, 175–176
 in tomatoes, 176
 See also viruses
dispersed repeats, 25
distal regulatory elements, 14

Index to *Plant Biotechnology*
(unpublished, by Samantha Miller, Sciendex)

diversity, lack of, 158
drought. *See* water stress
dwarfing, 245, 246–247, 255–256, 326, 328

E

ecdysone, 86
economic considerations
 of EU moratorium, 322
 of Golden Rice, 249
 of molecular farming, 298–301
 of Roundup Ready soybeans, 127
 of transgenic crop development, 305–307, 308
 of viral diseases, 161–162, 179, 190–192
edible vaccines, 291–293
elicitor response, 164–165
elongation, 13, 271
embryogenesis, 47, 48–49, 49–50, 50–51
embryos, 46
 See also somatic embryogenesis
endoplasmic reticulum, 271, 273, 275, 281, 288
 δ -endotoxin. *See Bacillus thuringiensis (Bt)*
environmental effects, on plant development, 36
Environmental Protection Agency (EPA), 139, 141–142
enzymes, industrial, 285–288
E-site, 12
ethylene, 42, 233–237, 238–241, 242
eukaryotic genomes, 25
European corn borer, 132, 138–139
European Union (EU) regulations, 316–320
exons, 7
explants, 43–46, 51, 63, 64–65, 69

F

farming. *See* molecular farming
fatty acids, 271–275
FCA gene, 17
Federal Plant Pest Act, 320–322
fireblight, 175
firefly luciferase, 92
fixing heterostasis, 315
flavonoids, 244–245
FlavrSavr tomatoes, 232–233, 237
floral dip, 66
Florigene, 245
flower color, 244–245
fluorescent protein, green, 88, 89–90, 91–92, 98
foods. *See* cereals; crops; fruits; potatoes; tomatoes

friable callus, 43–44, 74
fructans, 263, 266–270
fruit
 chitinase genes and, 173
 fireblight and, 175
 grapes, 190–192
 papaya, 198–199, 237
 softening of, 234–237
 See also tomatoes
functional genomics, 27
fungi, 160–161, 171–174
fungicide usage, 157

G

β -galactosidase, 80
gametophytes, 45–46
Gaucher's disease, 296–297
GC boxes, 15
gene expression inducers, 85–87
gene silencing, 76, 195–198, 197–198, 325
genetic analysis of plant breeding, 159
genetic code, 11
gene transfer
 Agrobacterium-mediated, 55–65
 cell culture media, 36–42
 to chloroplasts, 73–74
 containment of, 311–312, 313
 culture conditions in, 36
 diagram of, 61
 direct, 68
 electroporation, 72–74
 floral dip, 66
 genetic considerations, 20–23
 particle bombardment, 67–72
 PEG (polyethylene glycol) mediated, 44–45, 72
 to plant tissues, 51
 silicon carbide fibres used for, 74–75
genomes
 Arabidopsis thaliana, 28–31
 cowpea mosaic *comovirus* (CPMV), 182–183
 definition of, 1
 masking of, 199–201
 rice, 30–32
 size and organisation of, 25, 26, 31
 structure in organelles, 2
 structure of plant viruses, 180, 182
gfp (green fluorescent protein), 88, 89–90, 91–92, 98
gibberellins, 41–42, 241–243, 245–247, 326, 328
globular embryos, 47

Index to *Plant Biotechnology*
(unpublished, by Samantha Miller, Sciendex)

glucanases, 173
glucocerebrosidase, 296, 297
glucocorticoids, 86
 β -glucuronidase (GUS), 88, 89–92, 120–121
glufosinate, 119–121
glutamine synthetase (GS), 120
glutathione S-transferase (GST), 122, 226
glycine betaine, 209, 212–213, 214–215
glycosylation, 19
glyphosphate, 112, 113–114, 114–119, 119–121, 127
Golden Rice, 247–250
green fluorescent protein (gfp), 88, 89–90, 91–92, 98
Greenpeace, 250
Green Revolution, 245–246
growth regulators. *See* phytohormones
GUS (β -glucuronidase), 88, 89–92, 120–121

H

habituation, 43
halophytes, 218
harvest index, 231
health considerations, 139, 157
See also risks
heat-shock elements, 86, 221–222, 223
herbicide resistance, 104–129
 commercial products, 123–124, 306–307
 detoxification system use for, 107, 121–122
 environmental impacts of, 125–129, 308
 glyphosphate, 112, 114–119, 127
 homologous recombination and, 125
 imidazolinone, 123–125
 Monsanto and, 119, 123–125, 307
 phosphinothricin and, 119–121
 regulation of, 321
 strategies for engineering, 107
 super weeds and, 311
herbicides
 biological processes and, 105–106
 environmental impacts of use, 127
 modes of action, 106, 108–109
 as selectable markers, 88, 89–90
 structures of, 110–111
 use in agriculture, 104–105
 See also herbicide resistance
heterologous encapsidation, 199–201
heterologous promoters, 24–25
heterostasis, fixing, 315
high dose/ refuge-resistance management, 142–143
hirudin, 282–285, 297

histones, 4–5
homologous recombination, 125
horizontal resistance, 146
hormones. *See* phytohormones
human serum albumin, 298
hydration shell, 209
hygromycin, 69–70, 72, 88, 89–90
hyperplasia, 179
hypersensitive response (HR), 164–165, 166–168, 175–176

I

illegitimate recombination, 62
immunoglobulins (Ig). *See* antibodies
indole-3-acetic acid (IAA), 40–41, 58
induced systemic resistance (ISR), 170, 171
inducers, gene expression, 85–87
industrial enzymes, 285–288
insecticidal crystal proteins (ICP). *See Bacillus thuringiensis (Bt)*
insects, 131–132, 137–140, 141–142, 143–144, 149
See also Bacillus thuringiensis (Bt); pest resistance
integrated pest management (IPM), 140–143
intellectual property, 249–250
International Rice Genome Sequencing Project, 30–32
International Rice Research Institute (IRRI), 246
introns, 7, 17
isocore, 97
isopentenyl transferase, 58, 88, 89–90
2-isopentyl adenine (2-iP), 41

J

jellyfish, 92

K

kanamycin, 65, 87–88, 89–90
kinases, disease resistance and, 169–170
kinetin, 41

L

lacZ, 80
Large Scale Biology Corp, 291–293
latex allergens, 165
lauric acid, 273, 274, 275
leaves, 50, 64–65, 207–208, 253, 256
See also photosynthesis
legumin RNA, 16–17
LibertyLink crops, 121

Index to *Plant Biotechnology*
(unpublished, by Samantha Miller, Sciendex)

light, 24, 253–256
 See also photosynthesis
Lightning herbicide, 123–125
lipids, 270, 271–275, 276, 277–279
localisation signals, 19, 62
luciferases, 92
lycopenes, 233, 235, 241–243, 248
lysine acetylation, 15

M

macroelements, 37–39
maize
 carbohydrates in, 266, 269–270
 chloroplast genome map, 3
 cyclodextrins and, 266
 herbicide resistant, 117, 121–124, 128
 insect resistant, 132, 137, 138–139, 147, 151
 Southern corn leaf blight and, 158
mannitol, 209
mannose, 88, 89–90
marker-based breeding, 159
markers. *See* selectable markers
matrix-attachment regions (MARs), 96–97
media. *See* cell culture media
Medicago falcata, 48–49, 288–298
MeJa (methyl jasmonate), 21
meristem cultures, 45
mesophyll cells, 44
metabolomics, 27
methotrexate resistance, 115
methylation, 15
methyl bromide, 157
methyl jasmonate (MeJa), 21
microcarriers, 70
microelements, 38–39
microsatellites, 159
microspores, 45–46
mitochondria, 2–4, 19
molecular farming, 261–301
 antibodies, 286–298
 bioplastics, 275–279
 carbohydrates and lipids, 262, 263–270
 economic considerations of, 298–301
 of hirudin, 282–285
 industrial enzymes, 285–288
 lipids, 270–279
 phytase, 287–288
 proteins, 279–288
 proteins for medical use, 288–298
 trypsin, 285–287
Monarch butterfly, 143–144
monocultures, 158

Monsanto, 307
 bioplastics and, 277–279
 herbicide resistance and, 115, 119, 123–125,
 124–129
 pest resistance and, 138–139, 141–142
Moondust flowers, 245
Mycogen, 138
mycoplasma, 160

N

necrotrophs, 159
Nicotiana tabacum, 50, 63
nitrate reductase gene, spinach, 22–23
nitrates, in cell culture media, 38–39
nopaline, 56, 57, 58, 82
Novartis, 124, 138–139
nptII, 87–88, 89–90
nuclear localisation signals (NLS), 19, 62
nucleocapsids, 180
nucleosomes, 4–5
nutrition, 37, 251–252

O

octopine, 56, 57, 58, 59
oestrogen, 86
oil bodies, 281–285
oleochemicals, 271, 273, 274
oncogenes, 58
operons, 2
opines. *See* octopine or nopaline
organic supplements, 38–39, 46
organogenesis, 50–51
origins of replication, 93
osmoprotectants, 211, 212–214, 216–217
osmotic adjustment, 208, 209, 215
osmotic potential, 208, 209
osmotic stress, 209, 215–216
overcoat system, 286
ovules, 46
oxidative stress, 228
oxygen, reactive species (ROS), 222–229
ozone layer depletion, 157

P

parenchyma cells, 43
particle bombardment, 49, 67–72, 282
pathogen-associated molecular patterns
 (PAMP), 168
pathogen-derived resistance (PDR), 179
pathogenesis-related (PR) proteins, 164–165,
 166
pathogens

Index to *Plant Biotechnology*
(unpublished, by Samantha Miller, Sciendex)

- causing economic losses, 161–162
- disease resistance and, 159–162, 179–201
- prokaryotic, 160
- proteins in, 169–170
- responses to attack by, 164–165, 167
- See also disease resistance; viral diseases; viruses
- pBin19, 93, 95–96
- pectin methylesterase, 237
- peptide bonds, 12
- pest resistance, 131–153
 - artificial diet bioassay for, 145
 - commercial products, 306–307
 - Copy Nature strategy for, 145–146
 - cowpea trypsin inhibitor example, 146–148
 - damage from pests, 131–132
 - plant genes engineered for, 150–151
 - promoters for, 147
 - See also *Bacillus thuringiensis* (*Bt*)
- pectin methylesterase (PME), 233
- petroselenic acid, 299–300
- petunias, 196–197, 245
- pGreen, 95–96
- pHAG, 69–70
- pharmaceuticals, 294, 296, 297, 298
- pharming. See molecular farming
- PHB (polyhydroxybutyrate). See bioplastics
- phenolics, 61
- phenylureas, substituted, 41
- phosphinothricin (PPT), 119–121
- phosphoenolpyruvate carboxylase (PEPC), 257
- phosphorylation, and gene expression, 19
- photosynthesis
 - crop yield and, 231, 255–256
 - enhancement of, 252–257
 - methyl jasmonate (MeJa) and, 21
 - pathways, 256–257
 - process overview, 254
 - proteins involved in, 2–4
 - water stress and, 209
- phytase, 287–288
- phytoanticipins, 164–165
- phytochromes, 253–256
- phytohormones
 - abscisic acid (ABA), 24, 42
 - cytokinins, 41
 - ethylene, 42, 233–237, 238–241, 242
 - gibberellins, 41–42, 241–243, 245–247, 326, 328
 - Golden Rice and, 248
 - tomato ripening and, 233, 241–245
 - See also auxins
- Phytophthora infestans*, 160–161
- phytoplasma, 160
- Pioneer Hi-Bred International, 123–125, 138
- Planet Biotechnology, 300
- Plant Genetic Systems, 120
- plantibodies. See antibodies
- plasmids. See vectors
- plasmolysis, 209
- plasticity, 35–36, 206–208
- plastics, biodegradable. See bioplastics
- plastids, 2, 73–74, 106, 263
 - See also chloroplasts
- pleiotropic effects, 119, 156
- polerovirus*, 185
- pollen
 - herbicide resistance and, 127–128
 - risk of gene transfer through, 312, 324–325
 - risk of toxicity, 139, 143–144
 - use for cell culture, 45–46
- polyadenylation signals, 97
- poly(A) sites, 7
- polyethylene glycol (PEG)-mediated transformation, 44–45
- polyfructans, 263, 266–270
- polygalacturonase (PG), 233
- polyhydroxybutyrate (PHB). See bioplastics
- polymerase chain reaction (PCR), 159, 190–192
- polyploidy, 31
- polysomes, 9
- post-transcriptional gene silencing, 76, 195–198, 236, 325
- post-transcriptional processes, 16–17, 18–19, 76, 185
 - See also post-transcriptional gene silencing
- potatoes
 - blight, 160–161
 - disease resistance and, 174–175
 - edible pharmaceuticals and, 280
 - as example of traditional breeding, 159
 - polyfructan production in, 268–269
 - prp1 promoter in, 172
 - Pusztai affair and, 152–153
 - starch in, 266
 - sweet, 251
 - virus resistant, 199
- potyvirus*, 185, 196
- precautionary principle, 322–323
- pre-mRNA, 7, 15–17
- ProdiGene, 285–287
- prokaryotes, pathogenic, 160
- promiscuous DNA, 4
- promoters
 - affecting gene expression, 14–15
 - considerations for transformation, 20–23

Index to *Plant Biotechnology*
(unpublished, by Samantha Miller, Sciendex)

- constitutive, 82–83, 172
 - for engineering pest resistance, 147
 - examples of, 24
 - inducible, 84–87
 - protein production and, 6–7, 282
 - tissue specific, 84
 - in vector optimisation, 95–96
 - See also cauliflower mosaic virus 35S promoter
 - propagation, and viral resistance, 185
 - protein localisation signals, 19
 - proteins
 - conferral of pest resistance by, 145–153
 - molecular farming of, 279–298, 288–298
 - plant production systems in, 280–288
 - reactive oxygen species (ROS) and, 222–223
 - stable expression of, 281–282
 - tobacco mosaic *tobamovirus* (TMV) and, 294
 - transcription units and, 6–7
 - transient expression of, 285, 293
 - turnover of, 19–20
 - water shell and, 210–211
 - See also coat proteins; protein targeting
 - protein targeting
 - to chloroplasts, 117–118, 276–277
 - to endoplasmic reticulum, 290–291
 - to oil bodies, 281–285
 - as technology, 24
 - to vacuoles, 269
 - proteomics, 27
 - protoplasts, 44–45
 - P-site, 12
 - Pto protein, 169–170
 - Pusztai affair, 152–153, 320
 - pyramiding, 140
- Q**
- quantitative trait loci (QTL) maps, 159
 - quarantine as antiviral measure, 185
- R**
- random amplified polymorphic DNA (RAPD), 159
 - reactive oxygen species (ROS), 222–229
 - recognition-dependent disease resistance, 167–170
 - recombination, risk of, 199–201
 - refuge-resistance/ high dose management, 142–143
 - regeneration, 47–52
 - regulations, 317–323, 320–322
 - regulators, plant growth. See phytohormones
 - regulatory elements, 14–15, 22, 23, 24–25
 - relative water content, 208
 - repeats, tandem and dispersed, 25
 - reporter genes, 22, 88, 91–92
 - See also green fluorescent protein (gfp)
 - resistance
 - antibiotic, 309–310
 - horizontal vs. vertical, 146
 - management plans for, 141–142
 - systemic acquired (SAR), 170, 171, 175–176
 - See also *Bacillus thuringiensis* (Bt); disease resistance; herbicide resistance; pest resistance; viral diseases
 - respiration, tomato ripening and, 233
 - restriction fragment length polymorphisms (RFLP), 159
 - rhizosphere, 56
 - ribosome inactivating proteins (RIP), 173, 173–174
 - ribosomes, 10, 12, 173–174
 - ribozymes, 194–195
 - rice
 - genome of, 30–32
 - Golden, 247–251, 252
 - insect resistant, 132, 147, 148, 150–151
 - mould resistant, 173
 - particle bombardment of, 69–70
 - phosphoenolpyruvate carboxylase (PEPC) and, 257
 - viral diseases and, 162
 - ricin, 275
 - ripening. See fruit; tomatoes
 - risks
 - altered protein expression and, 251–252
 - antibiotic resistance, 309–310
 - Bacillus thuringiensis* (Bt) and, 139, 143–144
 - disease resistance, 170–177
 - edible vaccines and, 295–296
 - flower colour manipulation and, 245
 - Golden Rice and, 250
 - herbicide resistance and, 125–126, 127–128, 308, 311
 - latex allergens, 165
 - particle bombardment and, 69
 - pleiotropic effects, 119
 - pollen-mediated gene transfer, 312, 324–325
 - pyramiding, 140
 - recombination, 199–201
 - regulation of, 316–324
 - virus transformation and, 199–201
 - RNA interference (RNAi), 76, 234–238
 - RNA (ribonucleic acid), 197
 - in capsids, 184, 201

Index to *Plant Biotechnology*
(unpublished, by Samantha Miller, Sciendex)

- in elongation, 12–14
- as genome for tobacco mosaic *tobamovirus*, 181–182
- interference (RNAi), 76, 234–238
- modification of, 15–18
- polymerase II, 7, 8, 15
- post-transcriptional gene silencing (PTGS) and, 185, 195–198
- stabilisation of, 7–8
- in translation, 7–12
- types of, 6–7
- use of antisense for manipulation of fruit softening, 234–238
- viral diseases from, 180–182, 190–192
- as virus, 190–192, 199–201
- root cultures, 45
- Roundup, 112, 113–114, 114–119, 119–121, 127
- Roundup Ready crops, 116–117, 119, 127
- Rubisco, 17, 256–257

- S**
- safety, 148, 152–153, 174
 - See also risks
- salt tolerance, 215–218
- saprophytes, 160
- SARS (scaffold-associated regions), 5
- satellite DNA, 25
- satellite RNA, 181, 185, 193–194
- seeds, 69–72, 315
- selectable markers
 - in *Agrobacterium*-mediated gene transfer, 65
 - clean gene technology and, 99
 - concerns about GM crops and, 309–316
 - in plasmids, 79–80, 93–94
 - in plastid transformation, 73–74
 - types of, 87–90
- senescence, 87, 256
- senescence activated genes (SAG), 256
- sequence tagged sites (STS), 159
- shell, water, 210–211
- shoot tip cultures, 45
- signal peptides, 19
- signal transduction, disease resistance and, 164–165, 169–170
- silencing, 76, 195–198, 236, 325
- silicon carbide fibres, 74–75
- siRNAs, 76
- sodium antiport, 218
- solutes, compatible, 209–215
- somatic embryogenesis, 47, 48–49, 49–50, 50–51
- somatotrophin, 300–301
- soybeans, 299–300
- spectinomycin, 88, 89–90
- spinach nitrate reductase gene, 22–23
- splicing, 8, 15–17
- spores. See *Bacillus thuringiensis* (*Bt*)
- starch, 263–266
- StarLink corn, 139
- sterility, 313
- steroids, 86
- stomatal conductance, 208
- stress tolerance, 205–229
 - antioxidants and, 227–229
 - choline monooxygenase (CMO) and, 212
 - cold, 219–220, 221–222
 - heat, 220–222
 - osmoprotectants and, 212–213, 216–217
 - reactive oxygen species (ROS) and, 222–229
 - salt tolerance, 215–218
- substantial equivalence, 322–323
- sucrose, 36, 268–269
- sugar alcohols, 209
- sugar beets, 185–187, 270
- superoxide dismutase, 223–227
- super weeds, 126–128, 311
- suppression of gene silencing, 197–198, 236
- sweet potatoes, 251
- symbiosis, 159
- Syngenta, 124, 307
- synteny, 31
- systemic acquired resistance (SAR), 170, 171, 175–176
- systemic infection, 184

- T**
- tandem repeats, 25
- targeting. See protein targeting
- TATA boxes, 15
- T-DNA (transfer DNA), 56–63, 80–81, 99
- Technology Protection System (TPS), 314–315
- temperature stress, 218–222
- terminators, 82–87, 95–96, 312–313, 314–316
- Terminator Technology, 312–313, 314–315
- tetracycline, 85, 233–241
- thrombosis, 283
- tissue culture, 35–52
- tissue-specific promoters, 24
- tobacco
 - Agrobacterium*-mediated gene transfer of, 63–65
 - antibody production in, 290
 - arabis mosaic *nepovirus* (ArMV) resistant,

Index to *Plant Biotechnology*
(unpublished, by Samantha Miller, Sciendex)

- 190–192, 194
 - choline monooxygenase (CMO) gene and, 212
 - cowpea trypsin inhibitor, 148–149
 - fungal pathogens and, 173
 - glyphosphate resistant, 116
 - mosaic *tobamovirus* (TMV), 181–182, 188–190, 294
 - organogenesis of, 50
 - oxidative stress and, 225–228
 - pharmaceutical protein production in, 297, 298
 - photosynthesis and, 255, 255–256
 - polyfructan production in, 268
 - vaccine production in, 291–293
 - yield enhancement of, 256–257
 - tobacco mosaic *tobamovirus* (TMV), 181–182, 188–190, 294
 - tocopherol, 226
 - tomatoes
 - antisense technology and ripening characteristics, 234–238
 - chitinase genes in, 173
 - disease resistance and, 169–170, 175, 176
 - FlavrSavr, 232–233, 237
 - manipulation of colour in, 241–243
 - ripening of, 231–249
 - salt tolerant, 218
 - softening of, 234–237
 - yield improvement, 232–247
 - totipotency, 35–36
 - toxicity
 - edible vaccines and, 295–296
 - herbicide resistance and, 125–129
 - maize and, 174
 - in modified castor oil crops, 275
 - nut genes and, 251
 - of saline conditions, 218
 - See also Bacillus thuringiensis (Bt)*
 - T-pilus, 62
 - trans*-acting factors, 15, 24–25
 - transcapsidation, 199
 - transcriptional gene silencing, 21, 76
 - transcription factors, 16, 221–222, 247
 - transcription units, 6–7
 - transcriptomics, 27
 - transencapsidation, 199–201
 - transformation. *See* gene transfer
 - transgene copy number, 96
 - translation, 8–12, 18, 21, 183
 - transpiration, 207–208
 - trehalose, 209, 217, 264, 270
 - trichosanthin, 296, 297
 - trypsin, 285–287
 - trypsin inhibitor, cowpea, 146–149
 - tumours. *See* *Agrobacterium*-mediated gene transfer
 - turgor potential, 208
 - turnover, protein, 19–20
- U
- United Kingdom (UK) regulations, 317–318
 - United States (US) regulations, 320–322
 - untranslated regions, 7
 - U.S. Department of Agriculture (USDA), 314–315, 320–322
 - U.S. Environmental Protection Agency (EPA), 139, 141–142
- V
- vaccines, 285, 293–296
 - vacuoles, 19, 263, 266–267, 269
 - vasopressin, arginine, 298
 - vectors
 - in *Agrobacterium*-mediated gene transfer, 63–64, 65
 - basic features of, 80–82
 - binary, 93, 95, 97
 - for chloroplast transformation, 73–74
 - clean gene technology and, 97–98
 - desirable features of, 79–80
 - optimisation of, 94–97, 98
 - for particle bombardment, 69–70
 - promoters and terminators in, 82–87
 - selectable markers in, 88–91
 - viruses as, 190–192, 294
 - vegetative propagation, 185
 - vertical resistance, 146
 - VIDE database, 179
 - viral diseases
 - antisense approaches against, 194–195
 - Arabis mosaic *nepovirus* (ArMV), 190–192
 - in beets, 185–187
 - coat proteins and, 188–193
 - commercial crops resistant to, 198–199
 - comoviruses, 182–183
 - economically important, 161–162, 185
 - gene silencing against, 195–198
 - genome structures of, 179–180
 - infection mechanisms of, 183–184
 - resistance to, 186–201
 - RNA, 181–182
 - satellite sequences and, 193–194
 - tests for detecting, 187
 - traditional approaches to, 184–187
 - VIDE database, 179

Index to *Plant Biotechnology*
(unpublished, by Samantha Miller, Sciendex)

virulence (*vir*) proteins in, 59
See also disease resistance; viruses

viruses

obligate biotrophs, 159
risks of creating, 199–201
and satellite RNA, 193–194
use for protein production, 286, 294
See also disease resistance; viral diseases

vitamins, 36, 223, 226, 247–251

W

water content, 208
water potential, 208, 209
water shell, 210–211
water stress, 207–222
Watson and Crick, 1
weeds, 105, 126–128, 311
wheat, 245–246
WHISKERS, 74–75
wounds, 86, 163, 172

X

xylose, 88, 89–90

Y

yield. *See* crops

Z

zeatin, 41
Zeneca, 232, 237
zinc finger transcription factors, 16